











4.4 SMRV../SMRV.. 性能参数 / Performance parameter



P_{1n} [KW]	n_2 [r/min]	M_{2n} [Nm]	i	F_{r2} [N]	f_s		
0.06	14.0	25	100	1620	1.3	SMRV025/030	5614
	9.3	33	150	1830	0.9		
	7.0	41	200	1830	0.7		
	5.6	45	250	1830	0.8		
	4.7	56	300	3490	1.2	SMRV025/040	5614
	3.5	69	400	3490	0.9		
	2.8	94	500	3490	0.7		
	2.3	100	600	3490	0.6		
	1.9	115	750	3490	0.5		
	1.6	125	900	3490	0.5		
	1.2	153	1200	3490	0.4		
	0.9	185	1500	3490	0.3		
	0.8	198	1800	3490	0.3		
	0.6	247	2400	3490	0.2		
	0.5	280	3000	3490	0.2		
	0.4	295	4000	3490	0.1		
	0.3	348	5000	3490	0.1		
	1.4	26	100	2769	3.7	SMRV030/040	5614
	9.3	37	150	3169	1.9		
	7.0	47	200	3488	1.4		
	5.6	55	250	3490	1.1		
	4.7	60	300	3490	1.2		
	3.5	72	400	3490	0.9		
	7.0	47	200	4788	2.6	SMRV030/050	5614
	5.6	55	250	4840	2.0		
	4.7	61	300	4840	2.4		
	3.5	73	400	4840	1.7		
	2.8	85	500	4840	1.4		
	2.3	109	600	4840	1.3		
	1.9	127	750	4840	1.1		
	1.6	146	900	4840	1.0		
	1.2	177	1200	4840	0.8		
	0.9	206	1500	4840	0.7		
3.5	76	400	6270	3.4	SMRV030/063	5614	
2.8	88	500	6270	2.7			
2.3	111	600	6270	2.4			
1.9	129	750	6270	2.1			
1.6	148	900	6270	1.8			
1.2	180	1200	6270	1.5			
0.9	210	1500	6270	1.3			
0.8	234	1800	6270	1.2			
0.6	286	2400	6270	0.9			
0.5	332	3000	6270	0.7			



P_{1n} [KW]	n_2 [r/min]	M_{2n} [Nm]	i	F_{r2} [N]	f_s						
0.06	2.8	102	500	3800	1.3	SMRV040/050	5614				
	1.6	159	900	4350	0.9						
	0.06	0.9	236	1500	6270	1.1	SMRV040/063	5614			
		0.8	265	1800	6270	1.0					
		0.6	325	2400	6270	0.8					
		0.9	248	1500	7380	1.8					
		0.8	278	1800	7380	1.6					
	0.06	0.6	267	2400	7380	1.1	SMRV040/075	5614			
		0.5	305	3000	7380	0.8					
		0.4	360	4000	7380	0.7					
		0.3	409	5000	7380	0.5					
		0.9	259	1500	8180	2.7					
		0.8	291	1800	8180	2.4					
	0.09	0.6	359	2400	8180	1.7	SMRV040/090	5614			
		0.5	329	3000	8180	1.4					
		0.4	393	4000	8180	1.3					
		0.3	430	5000	8180	1.0					
		0.09	14.0	37	100	1620			0.8	SMRV025/030	5624
			9.3	50	150	1830			0.6		
			7.0	61	200	1830			0.5		
5.6			68	250	1830	0.5					
4.7			77	300	1830	0.4					
3.5			106	400	1830	0.3					
2.8			117	500	1830	0.3					
2.3			135	600	1830	0.2					
1.9			149	750	1830	0.2					
1.6	167		900	1830	0.2						
1.2	201		1200	1830	0.1						
0.9	231		1500	1830	0.1						
0.8	264		1800	1830	0.1						
0.6	311		2400	1830	0.1						
0.5	347		3000	1830	0.1						
0.09	14.0		39	100	2769	1.8	SMRV030/040	5624			
	9.3		56	150	3169	1.3					
	7.0	70	200	3488	0.9						
	5.6	83	250	3490	0.7						
	4.7	82	300	3490	0.8						
0.09	14.0	40	100	3800	3.4	SMRV030/050	5624				
	9.3	56	150	4350	2.4						
	7.0	70	200	4788	1.7						
	5.5	83	250	4840	1.3						
	4.7	92	300	4840	1.6						
	3.5	103	400	4840	1.2						
	2.8	120	500	4840	1.0						
	2.3	146	600	4840	0.9						
	1.9	158	750	4840	0.8						
	1.6	177	900	4840	0.7						



P_{1n} [KW]	n_2 [r/min]	M_{2n} [Nm]	i	F_{r2} [N]	f_s				
0.09	5.6	85	250	6270	2.7	SMRV030/063	5624		
	4.7	88	300	6270	2.9				
	3.5	114	400	6270	2.2				
	2.8	132	500	6270	1.8				
	2.3	166	600	6270	1.6				
	1.9	194	750	6270	1.4				
	1.6	188	900	6270	1.0				
	1.2	222	1200	6270	0.9				
	0.9	259	1500	6270	0.7				
	0.8	351	1800	6270	0.8				
	2.8	153	500	3800	0.9			SMRV040/050	5624
	0.9	354	1500	6720	0.8			SMRV040/063	5624
	0.9	305	1500	7380	1.1			SMRV040/075	5624
	0.8	331	1800	7380	1.0				
	0.6	400	2400	7380	0.7				
	0.5	494	3000	8180	0.9			SMRV040/090	5624
0.4	589	4000	8180	0.8					
0.12	14.0	54	100	3800	2.6	SMRV030/050	6314		
	9.3	74	150	4350	1.8				
	7.0	94	200	4788	1.3				
	5.6	110	250	4840	1.0				
	4.7	112	300	4840	1.2				
	3.5	138	400	4840	0.9				
	2.8	160	500	4840	0.7				
	14.0	54	100	4967	2.8			SMRV030/063	6314
	9.3	75	150	5686	2.8				
	7.0	95	200	6259	2.7				
	5.6	114	250	6270	2.0				
	4.7	117	300	6270	2.2				
	3.5	152	400	6270	1.7				
	2.8	168	500	6270	1.3				
	2.3	199	600	6270	1.1				
	1.9	217	750	6270	0.9				
	1.6	297	900	6270	0.9				
	1.2	360	1200	6270	0.8				
	14.0	55	100	3800	2.5	SMRV040/050	6314		
	9.3	76	150	4350	1.8				
	7.0	96	200	4788	1.2				
	5.6	113	250	4840	1.0				
	4.7	125	300	4840	1.2				
	3.5	150	400	4840	0.8				



P_{1n} [KW]	n_2 [r/min]	M_{2n} [Nm]	i	F_{r2} [N]	f_s		
0.12	9.3	77	150	5686	3.4	SMRV040/063	6314
	7.0	97	200	6259	2.6		
	5.6	117	250	6270	2.0		
	4.7	127	300	6270	2.1		
	3.5	156	400	6270	1.6		
	2.8	217	500	6270	1.1		
	2.3	237	600	6270	1.1		
	1.9	285	750	6270	1.0		
	1.6	319	900	6270	0.8		
	5.6	120	250	7380	3.2	SMRV040/075	6314
	4.7	134	300	7380	3.3		
	3.5	164	400	7380	2.5		
	2.8	188	500	7380	2.0		
	2.3	248	600	7380	1.8		
	1.9	299	750	7380	1.5		
	1.6	335	900	7380	1.3		
	1.2	415	1200	7380	1.1		
	0.9	495	1500	7380	0.9		
	0.8	556	1800	7380	0.8		
	2.8	202	500	8180	2.8	SMRV040/090	6314
	2.3	260	600	8180	2.7		
	1.9	313	750	8180	2.2		
	1.6	350	900	8180	2.0		
	1.2	434	1200	8180	1.6		
	0.9	518	1500	8180	1.4		
	0.8	470	1800	8180	0.9		
	0.6	593	2400	8180	0.8		
	1.2	448	1200	8180	1.6		
	0.9	527	1500	8180	1.3		
	0.8	592	1800	8180	1.2		
	0.6	731	2400	8180	0.8		
	1.2	448	1200	10320	2.8	SMRV050/110	6314
	0.9	527	1500	10320	2.4		
	0.8	592	1800	10320	2.1		
	0.6	766	2400	10320	1.5		
	0.5	731	3000	10320	1.2		
0.4	884	4000	10320	1.0			
0.3	1023	5000	10320	0.8			
0.18	14.0	78	100	2769	0.9	SMRV030/040	6324
	14.0	81	100	3800	1.7	SMRV030/050	6324
	9.3	112	150	4350	1.2		
	7.0	141	200	4788	0.9		
	4.7	183	300	4840	0.8		



P_{1n} [KW]	n_2 [r/min]	M_{2n} [Nm]	i	F_{r2} [N]	f_s		
0.18	14.0	81	100	4965	1.9	SMRV030/063	6324
	9.3	113	150	5686	1.9		
	7.0	143	200	6259	1.8		
	5.6	171	250	6270	1.4		
	4.7	175	300	6270	1.5		
	3.5	216	400	6270	1.0		
	2.8	252	500	6270	0.8		
	2.3	333	600	6270	0.8		
	14.0	82	100	3800	1.7	SMRV040/050	6324
	9.3	114	150	4350	1.2		
	7.0	144	200	4788	0.8		
	4.7	188	300	4840	0.8		
	14.0	82	100	4967	3.1	SMRV040/063	6324
	9.3	116	150	5686	2.2		
	7.0	146	200	6259	1.7		
	5.6	175	250	6270	1.3		
	4.7	191	300	6270	1.4		
	3.5	234	400	6270	1.1		
	2.8	325	500	6270	0.7		
	2.3	355	600	6270	0.8		
	7.0	150	200	7380	2.8	SMRV040/075	6324
	5.6	180	250	7380	2.1		
	4.7	200	300	7380	2.2		
	3.5	246	400	7380	1.7		
	2.8	282	500	7380	1.3		
	2.3	336	600	7380	1.1		
	1.9	371	750	7380	0.9		
	1.6	419	900	7380	0.8		
1.2	622	1200	7380	0.7			
5.6	188	250	8180	3.0	SMRV040/090	6324	
4.7	210	300	8180	3.3			
3.5	259	400	8180	2.4			
2.8	303	500	8180	1.9			
2.3	390	600	8180	1.8			
1.9	469	750	8180	1.5			
1.6	526	900	8180	1.3			
1.2	544	1200	8180	1.0			
0.9	647	1500	8180	0.8			
0.8	874	1800	8180	0.8			
1.2	671	1200	8180	1.0	SMRV050/090	6324	
0.9	790	1500	8180	0.9			
0.8	888	1800	8180	0.8			



P_{1n} [KW]	n_2 [r/min]	M_{2n} [Nm]	i	F_{r2} [N]	f_s		
0.18	1.2	671	1200	10320	1.9	SMRV050/110	6324
	0.9	790	1500	10320	1.6		
	0.8	727	1800	10320	1.5		
	0.6	948	2400	10320	1.1		
	0.5	1370	3000	10320	0.8		
0.25	14.0	115	100	3800	1.2	SMRV040/050	7114
	9.3	159	150	4350	0.9		
	14.0	115	100	4967	2.2	SMRV040/063	7114
	9.3	161	150	5686	1.6		
	7.0	203	200	6270	1.2		
	5.6	243	250	6270	1.0		
	4.7	265	300	6270	1.0		
	3.5	325	400	6270	0.8		
	14.0	116	100	5863	3.0	SMRV040/075	7114
	9.3	165	150	6712	2.6		
	7.0	209	200	7380	2.0		
	5.6	250	250	7380	1.5		
	4.7	278	300	7380	1.6		
	3.5	321	400	7380	1.1		
	2.8	375	500	7380	0.8		
	2.3	517	600	7380	0.9		
	1.9	822	750	7380	0.7		
	14.0	119	100	6487	3.0	SMRV040/090	7114
	9.3	170	150	7426	3.0		
	7.0	217	200	8174	2.8		
	5.6	261	250	8180	2.2		
	4.7	291	300	8180	2.4		
	3.5	359	400	8180	1.7		
	2.8	420	500	8180	1.3		
	2.3	488	600	8180	1.2		
	1.9	553	750	8180	0.9		
	1.6	612	900	8180	0.8		
	1.2	905	1200	8180	0.8		
	7.0	223	200	8174	2.7	SMRV050/090	7114
	5.6	267	250	8180	2.1		
	4.7	298	300	8180	2.3		
	3.5	368	400	8180	1.7		
	2.8	491	500	8180	1.2		
2.3	548	600	8180	1.3			
1.9	660	750	8180	1.1			
1.6	751	900	8180	0.9			
1.2	932	1200	8180	0.8			

P_{1n} [KW]	n_2 [r/min]	M_{2n} [Nm]	i	F_{r2} [N]	f_s		
0.25	3.5	386	400	10320	3.1	SMRV050/110	7114
	2.8	512	500	10320	2.3		
	2.3	548	600	10320	2.3		
	1.9	660	750	10320	1.9		
	1.6	571	900	10320	1.7		
	1.2	776	1200	10320	1.3		
	0.9	924	1500	10320	1.2		
	0.8	1010	1800	10320	1.1		
	0.6	1596	2400	10320	0.7		
	3.5	386	400	10320	3.1	SMRV063/110	7114
	2.8	524	500	10320	2.2		
	2.3	564	600	10320	2.3		
	1.9	677	750	10320	1.9		
	1.6	771	900	10320	1.6		
	1.2	973	1200	10320	1.3		
	0.9	1148	1500	10320	1.1		
	0.8	1296	1800	10320	1.0		
	0.6	1676	2400	10320	0.7		
	2.8	460	500	13500	3.4	SMRV063/130	7114
	2.3	571	600	13500	3.1		
	1.9	687	750	13500	2.6		
	1.6	783	900	13500	2.2		
	1.2	988	1200	13500	1.8		
	0.9	1165	1500	13500	1.5		
	0.8	1315	1800	13500	1.3		
	0.6	1358	2400	13500	1.0		
	0.5	1626	3000	13500	0.8		
	0.4	1910	4000	13500	0.6		
0.3	2132	5000	13500	0.5			
1.9	666	750	18000	3.5	SMRV063/150	7114	
1.6	840	900	18000	2.5			
1.2	1013	1200	18000	2.6			
0.8	1412	1800	18000	1.5			
0.6	1702	2400	18000	1.6			
0.5	1998	3000	18000	1.2			
0.4	2453	4000	18000	0.9			
0.3	2749	5000	18000	0.8			
0.37	14.0	169	100	3800	0.8	SMRV040/050	7124
	14.0	169	100	4967	1.5		
	9.3	238	150	5686	1.1		
	7.0	300	200	6259	0.8		
	14.0	172	100	5863	2.1	SMRV040/075	7124
	9.3	245	150	6712	1.7		
	7.0	309	200	7380	1.4		
	5.6	370	250	7380	1.0		
	4.7	383	300	7380	1.0		
	3.5	474	400	7380	0.7		

P_{1n} [KW]	n_2 [r/min]	M_{2n} [Nm]	i	F_{r2} [N]	f_s		
0.37	14.0	176	100	6487	2.1	SMRV040/090	7124
	9.3	251	150	7426	2.1		
	7.0	322	200	8174	1.9		
	5.6	386	250	8180	1.5		
	4.7	406	300	8180	1.5		
	3.5	505	400	8180	1.2		
	2.8	593	500	8180	0.9		
	2.3	722	600	8180	0.8		
	14.0	180	100	6487	3.3	SMRV050/090	7124
	9.3	257	150	7426	2.6		
	7.0	329	200	8174	1.9		
	5.6	395	250	8180	1.4		
	4.7	441	300	8180	1.6		
	3.5	545	400	8180	1.1		
	2.8	727	500	8180	0.8		
	2.3	812	600	8180	0.9		
	1.9	977	750	8180	0.7		
	7.0	338	200	10320	3.4	SMRV050/110	7124
	5.6	412	250	10320	2.8		
	4.7	441	300	10320	2.9		
	3.5	571	400	10320	2.1		
	2.8	757	500	10320	1.5		
	2.3	812	600	10320	1.6		
	1.9	837	750	10320	1.2		
	1.6	926	900	10320	1.0		
	1.2	1148	1200	10320	0.7		
	0.9	1623	1500	10320	0.8		
	7.0	338	200	10320	3.4	SMRV063/110	7124
	5.6	412	250	10320	2.8		
	4.7	441	300	10320	2.9		
	3.5	571	400	10320	2.1		
	2.6	776	500	10320	1.5		
	2.3	832	600	10320	1.5		
	1.9	1002	750	10320	1.3		
	1.6	1141	900	10320	1.1		
	1.2	1441	1200	10320	0.9		
0.9	1699	1500	10320	0.7			
3.5	571	400	13500	2.9	SMRV063/130	7124	
2.8	681	500	13500	2.3			
2.3	844	600	13500	2.1			
1.9	1017	750	13500	1.7			
1.6	1158	900	13500	1.5			
1.2	1462	1200	13500	1.2			
0.9	1725	1500	13500	1.0			
0.8	1946	1800	13500	0.9			

P_{1n} [KW]	n_2 [r/min]	M_{2n} [Nm]	i	F_{r2} [N]	f_s				
0.37	2.8	681	500	18000	3.4	SMRV063/150	7124		
	2.3	840	600	18000	3.2				
	1.9	986	750	18000	2.4				
	1.6	1244	900	18000	1.7				
	1.2	1499	1200	18000	1.8				
	0.8	2089	1800	18000	1.0				
	0.6	2519	2400	18000	1.1				
	0.5	2958	3000	18000	0.8				
0.55	14.0	268	100	6487	2.2	SMRV050/090	8014		
	9.3	382	150	7428	1.7				
	7.0	490	200	8174	1.2				
	5.6	588	250	8180	1.0				
	4.7	656	300	8180	1.1				
	3.5	809	400	8180	0.8				
	14.0	268	100	8198	2.4			SMRV050/110	8014
	9.3	387	150	9384	2.4				
	7.0	503	200	10320	2.3				
	5.6	612	250	10320	1.9				
	4.7	615	300	10320	1.7				
	3.5	810	400	10320	1.2				
	2.8	938	500	10320	1.0				
	2.3	1096	600	10320	0.9				
	1.9	1244	750	10320	0.8				
	1.6	1651	900	10320	0.8				
	9.3	387	150	9384	3.1	SMRV063/110	8014		
	7.0	503	200	10320	2.3				
	5.6	612	250	10320	1.9				
	4.7	656	300	10320	1.9				
	3.5	849	400	10320	1.4				
	2.8	1154	500	10320	1.0				
	2.3	1237	600	10320	1.0				
	1.9	1489	750	10320	0.8				
	1.6	1697	900	10320	0.7				
	7.0	503	200	13500	3.2	SMRV063/130	8014		
	5.6	612	250	13500	2.5				
	4.7	666	300	13500	2.6				
	3.5	849	400	13500	1.9				
	2.8	957	500	13500	1.6				
	1.8	1382	750	13500	1.2				
	1.2	2057	1200	13500	0.8				
	5.6	612	250	18000	3.3	SMRV063/150	8014		
	4.7	728	300	18000	3.2				
	3.5	862	400	18000	3.1				
	2.8	1012	500	18000	2.3				
2.3	1248	600	18000	2.1					
1.9	1465	750	18000	1.6					
1.6	1849	900	18000	1.1					
1.2	2229	1200	18000	1.2					
0.6	3744	2400	18000	0.7					

P_{1n} [KW]	n_2 [r/min]	M_{2n} [Nm]	i	F_{r2} [N]	f_s		
0.75	14.0	365	100	6487	1.6	SMRV050/090	8024
	9.3	521	150	7426	1.3		
	7.0	668	200	8174	0.9		
	5.6	801	250	8180	0.7		
	4.7	895	300	8180	0.8		
	14.0	365	100	8198	1.8	SMRV050/110	8024
	9.3	527	150	9384	1.8		
	7.0	685	200	10320	1.7		
	5.6	835	250	10320	1.4		
	4.7	838	300	10320	1.3		
	3.5	1105	400	10320	0.9		
	2.8	1535	500	10320	0.8		
	2.3	1645	600	10320	0.8		
	14.0	365	100	8198	3.0	SMRV063/110	8024
	9.3	527	150	9384	2.3		
	7.0	685	200	10320	1.7		
	5.6	835	250	10320	1.4		
	4.7	895	300	10320	1.4		
	3.5	1157	400	10320	1.0		
	2.8	1573	500	10320	0.7		
	2.3	1686	600	10320	0.8		
	14.0	369	100	10722	3.0	SMRV063/130	8024
	9.3	521	150	12274	3.0		
	7.0	685	200	13500	2.3		
	5.6	835	250	13500	1.8		
	4.7	908	300	13500	1.9		
	3.5	1157	400	13500	1.4		
	2.8	1305	500	13500	1.1		
	2.3	1557	600	13500	1.0		
	1.9	1772	750	13500	0.9		
	1.6	2014	900	13500	0.8		
	7.0	685	200	18000	3.0	SMRV063/150	8024
	5.6	835	250	18000	2.5		
	4.7	993	300	18000	2.3		
	3.5	1175	400	18000	2.3		
	2.8	1380	500	18000	1.7		
2.3	1702	600	18000	1.6			
1.9	1998	750	18000	1.2			
1.6	2521	900	18000	0.8			
1.2	3039	1200	18000	0.9			

P_{1n} [KW]	n_2 [r/min]	M_{2n} [Nm]	i	F_{r2} [N]	f_s		
1.1	14.0	535	100	8198	2.1	SMRV063/110	90S4
	9.3	774	150	9384	1.5		
	7.0	1005	200	10320	1.1		
	5.6	1224	250	10320	1.0		
	4.7	1312	300	10320	1.0		
	14.0	542	100	10722	2.1		
	9.3	764	150	12274	2.1		
	7.0	1005	200	13500	1.6		
	5.6	1224	250	13500	1.2		
	4.7	1274	300	13500	1.3		
	3.5	1621	400	13500	1.0		
	2.8	1913	500	13500	0.8		
	2.3	2510	600	13500	0.7		
	9.3	771	150	18000	2.6	SMRV063/150	90S4
	7.0	1005	200	18000	2.1		
	5.6	1224	250	18000	1.7		
	4.7	1456	300	18000	1.6		
	3.5	1723	400	18000	1.5		
	2.8	2024	500	18000	1.2		
	2.3	2496	600	18000	1.1		
	1.9	2931	750	18000	0.8		
1.5	14.0	730	100	8198	1.5	SMRV063/110	90L4
	9.3	1055	150	9384	1.1		
	7.0	1371	200	10320	0.8		
	5.6	1669	250	10320	0.7		
	4.7	1789	300	10320	0.7		
	14.0	739	100	10722	1.5	SMRV063/130	90L4
	9.3	1042	150	12274	1.5		
	7.0	1371	200	13500	1.2		
	5.6	1669	250	13500	0.9		
	4.7	1737	300	13500	1.0		
	3.5	2210	400	13500	0.7		
	9.3	1052	150	18000	1.9	SMRV063/150	90L4
	7.0	1371	200	18000	1.5		
	5.6	1669	250	18000	1.2		
	4.7	1985	300	18000	1.2		
3.5	2350	400	18000	1.1			
2.8	2760	500	18000	0.8			
2.3	3404	600	18000	0.8			